Floor Standing Network Cabinet Set (12/18/22/32/37/42U)



- Exquisite design with precise craftsmanship
- Removable side panel, easy to install and maintain
- Cable entry on the top cover and bottom cover with inset sealing plate
- Fan cutout on the top cover, easy to install fan
- Tempered glass front door with over 180 turning degrees
- Adjustable feet and castors are available simultaneously
- Various accessories for option


Brief Introduction

Cabinet is an independent or self-supporting enclosure for accommodating electrical or electronic equipment, which can provide waterproof, dustproof and electromagnetic interference protection for storage equipment. At the same time, there are optional suitable accessories and installation accessories, so as to make wiring more convenient, easy to manage and save time as well as effort.

Cabinets are generally used in network wiring rooms, floor wiring rooms, central computer rooms, data computer rooms, control centers, monitoring centers, etc.

Specifications

Model	Capacity(U)	Width*Depth*Height (mm)	Material	Color
ZK-R12U-6412S	12	600*450*650	Steel	Black
ZK-R18U-6618S	18	600*600*1000	Steel	Black
ZK-R22U-6622S	22	600*600*1200	Steel	Black
ZK-R32U-6632S	32	600*600*1600	Steel	Black
ZK-R37U-6637S	37	600*600*1800	Steel	Black
ZK-R42U-6642S	42	600*600*2000	Steel	Black



ZK-R12U-6412S



ZK-R18U-6618S



ZK-R22U-6622S



ZK-R32U-6632S





ZK-R37U-6637S




ZK-R42U-6642S

Installation Diagram





Related Accessories

Picture				
Specification	Applicable size--600*600/800/1000, suitable for large cabinet trays above 12U, cold-rolled steel material, black, 1UR	Cabinet tray for 6U/9U/12U, cold rolled steel material, black, 19", 1UR	12-port 24-position/24-port 48-position cable management rack, length 48.5cm, height 1U	Cabinet fan, size 12*12*2.5cm
Picture				
Specification	6 port PDU, plastic case	8-Port 10A lightning protection PDU, aluminum alloy	8/12-Port 16A lightning protection PDU, aluminum alloy	Laminate screws, device screws

Copyright©2023 ZKTECO CO., LTD. All rights reserved.